

# **ILLUSTRATED PARTS BREAKDOWN**

**PARTNER**

**12 HP, 42" MOWER DECK**


**LAWN TRACTOR**

**MODEL NUMBER 12-107 (P12S105C)**

**954 12 00-30**




TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
SCHEMATIC



# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
ELECTRICAL



# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
ELECTRICAL


| KEY<br>NO. | PART<br>NO.      | DESCRIPTION                     |
|------------|------------------|---------------------------------|
| 1          | 532144925        | Battery 12 Volt 25 AMP          |
| 2          | 874760412        | Bolt Hex Hd 1/4-20unc X 3/4     |
| 8          | 532156417        | Case Battery Hng Mech W/lid     |
| 16         | 532153664        | Switch Interlock Push-In        |
| 21         | 532166181        | Harness Asm Light W/4152j       |
| 22         | 532004152        | Bulb Light #1156                |
| 24         | 532124780        | Cable Battery 6 Ga 11" Red      |
| 25         | 532146147        | Cable Battery 6 Ga Red w/16 wir |
| 26         | 532175158        | Fuse                            |
| 27         | 873510400        | Nut Keps Hex 1/4-20 Unc         |
| 28         | 532124773        | Cable Ground 6 Ga 12" black     |
| 29         | 532121305        | Switch Plunger Nc Gray          |
| 30         | 532175566        | Switch Ign                      |
| 33         | 532140401        | Key                             |
| 40         | <b>532178437</b> | Harness Ing Cl Am Hm            |
| 41         | 871110408        | Bolt Blk Fin Hex 1/4 - 20 x 1/2 |
| 42         | 532131563        | Cover Terminal Red              |
| 43         | <b>532178861</b> | Solenoid                        |
| 48         | 532140844        | Adapter Ammeter Rectangular     |
| 52         | 532141940        | Protection Wire Loop            |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.



# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
CHASSIS AND ENCLOSURES



# REPAIR PARTS


TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
CHASSIS AND ENCLOSURES

| KEY<br>NO. | PART<br>NO.      | DESCRIPTION                      |
|------------|------------------|----------------------------------|
| 1          | <b>532174619</b> | Chassis                          |
| 2          | <b>532176554</b> | Drawbar                          |
| 3          | 817060612        | Screw 3/8-16 x .75               |
| 5          | 532155272        | Bumper Hood Dash                 |
| 9          | 532172151        | Dash                             |
| 10         | 872140608        | Bolt Rdhd Sqnk 3/8-16unc X 1     |
| 11         | 532155927        | Panel Dash LH                    |
| 12         | 532145660        | Clip Tinnerman Grille P/L        |
| 13         | 532173025        | Panel Dash RH                    |
| 14         | <b>817490608</b> | Screw Thdrol 3/8-16 x 1/2        |
| 17         | 532160382        | Hood                             |
| 18         | 532126938        | Bumper Hood                      |
| 24         | 874780616        | Bolt Fin Hex 3/8-16unc X 1 Gr. 5 |
| 25         | 819131312        | Washer 13/32 X 13/16 X 12 Ga.    |
| 26         | 873800600        | Nut Lock Hex w/Ins 3/8-16 Unc    |
| 28         | 532143499        | Grille Private Label             |
| 29         | 532168154        | Lens Grille Private Label        |
| 30         | 532173026        | Fender                           |
| 31         | 532136619        | Bracket Fender Repl 109873x      |
| 33         | 532153539        | Footrest Pnt LH                  |
| 34         | 532153538        | Footrest Pnt RH                  |
| 35         | 872110606        | Bolt Rdhd Sht Sqnk 3/8-16 X3/4   |
| 37         | 817490508        | Screw Thdrol 5/16-18 x 1/2 Tyl   |
| 38         | <b>532175710</b> | Bracket Asm Pivot Mower Rear     |
| 51         | 873800400        | Nut Lock w/Insert 1/4-20         |
| 52         | 819091416        | Washer 9/32 x 7/8 x 16 Ga.       |
| 53         | 532144697        | Bracket Grille LH                |
| 54         | 532161464        | Screw Hex Wshd 8-18 x 7/8        |
| 55         | 532144696        | Bracket Grille RH                |
| 57         | 874780412        | Bolt Hex 1/4-20 x 3/4            |
| 58         | 532150127        | Air Duct Private Label           |
| 64         | 532154798        | Dash Lower STLT                  |
| 142        | 532165867        | Plate Reinforcement STLT         |
| 145        | 532156524        | Rod Pivot Chassis/Hood           |
| 206        | 532170165        | Bolt Shoulder 5/16-18            |
| 207        | 817670508        | Screw Thdrol 5/16-18 x 1/2       |
| 208        | 817670608        | Screw Thdrol 3/8-16 x 1/2        |
| 212        | 532156229        | Insert Lens REFLECT              |
| --         | 532005479        | Plug Button Blk 359 Dia Choke    |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
DRIVE



# REPAIR PARTS


TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
DRIVE

| KEY NO. | PART NO.         | DESCRIPTION                                                          | KEY NO. | PART NO.         | DESCRIPTION                       |
|---------|------------------|----------------------------------------------------------------------|---------|------------------|-----------------------------------|
| 1       | -----            | Transaxle (Order Parts From Transaxle Manufactuer) Peerless 205-544C | 62      | 532124872        | Cover Pedal Round                 |
| 2       | 532146682        | Spring Return Brake T/a Zinc                                         | 63      | <b>532175410</b> | Engine Pulley                     |
| 3       | 532123666        | Pulley Transaxle 18" tires                                           | 64      | 871170764        | Bolt Hex                          |
| 4       | 812000028        | Ring Retainer #5100-62                                               | 65      | 810040700        | Washer Lock Hvy Hlcl Spr 7/16     |
| 5       | 532121520        | Strap Torque 30 Degrees                                              | 66      | 532154778        | Keeper Belt Engine Foolproof      |
| 6       | 817060512        | Screw Thdrol 5/16-18 X 3/4 TYT                                       | 69      | 532142432        | Screw Hex Wsh Hi-Lo 1/4-1/2       |
| 8       | 532165619        | Rod Shift Fender Adjust STLT                                         | 70      | 532134683        | Guide Belt Mower Drive RH         |
| 10      | 876020416        | Pin Cotter 1/8 X 1 Cad                                               | 74      | 532137057        | Spacer Axle                       |
| 11      | 532105701        | Washer Plate Shf 388 Sq Hole                                         | 75      | 532121749        | Washer 25/32 X 1 1/4 X 16 Ga      |
| 13      | 874550412        | Bolt 1/4-28 Unf Gr 8 W/Patch                                         | 76      | 812000001        | E-ring #5133-75                   |
| 14      | 810040400        | Washer Lock Hvy Helical 1/4                                          | 77      | 532123583        | Key Square 2 0 X 1845/ 1865       |
| 16      | 873800500        | Nut Lock Hx W/Ins 5/16-18 Unc Pl                                     | 78      | 532121748        | Washer 25/32 X 1-5/8 X 16 Ga      |
| 18      | 874780616        | Bolt, Fin Hex 3/8-16 UNC x 1 Gr. 5                                   | 79      | 532125096        | Key Woodruff #9 3/16 x 3/4        |
| 19      | 873800600        | Nut Lock 3/8-16 Unc                                                  | 80      | 532131486        | Arm Shift                         |
| 21      | 532106933        | Knob                                                                 | 81      | 532165594        | Shaft Asm Cross Tapered DA/PR 18" |
| 22      | 532130804        | Rod Brake Blk Zinc 26 840                                            | 82      | 532123782        | Spring Torsion T/a                |
| 24      | 873350600        | Nut Hex Jam 3/8-16 Unc                                               | 83      | 819171216        | Washer 17/32 X 3/4 X 16 Ga        |
| 25      | 532106888        | Spring Rod Brake 2 00 Zinc                                           | 84      | 532166228        | Transaxle Link                    |
| 26      | 819131316        | Washer 13/32 X 13/16 X 16 Ga                                         | 85      | 532150360        | Nut Lock Center 1/4 - 28 FNTHD    |
| 27      | 876020412        | Pin Cotter 1/8 X 3/4 Cad                                             | 89      | 532173774        | Console Shift STLT                |
| 28      | <b>532175765</b> | Rod Brake Parking LT/YT                                              | 96      | 532124788        | Retainer Spring 1"                |
| 29      | 532071673        | Cap Brake Parking Black                                              | 112     | 819091210        | Washer 9/32 x 3/4 x 10 Ga.        |
| 30      | 532174973        | Bracket Mtg Transaxle                                                | 113     | 532127285        | Strap Torque LT                   |
| 32      | 874760512        | Bolt Hex Hd 5/16-18unc X 3/4                                         | 116     | <b>872110608</b> | Bolt Rdhd Sq Neck 3/8-16 x 1.00   |
| 34      | <b>532175578</b> | Shaft Asm Pedal Foot                                                 | 120     | <b>873900600</b> | Nut Lock Flange 3/8-16            |
| 35      | 532120183        | Bearing Nylon Blk 629 Id                                             | 145     | 874490540        | Bolt Hex Flg Hd 5/16-18 Gr 5      |
| 36      | 819211616        | Washer 21/32 X 1 X 16 Ga                                             | 150     | <b>532175456</b> | Spacer Retainer                   |
| 37      | 532124963        | Pin Roll 3/16 X 1"                                                   | 151     | 819133210        | Washer 13/32 x 2 x 10 Ga.         |
| 38      | <b>532165936</b> | Pulley Flat                                                          | 156     | 532166002        | Washer Srrted 5/16ID x 1.125      |
| 39      | <b>874760648</b> | Bolt Rdhd 3/8-16unc X 3 Gr 5                                         | 158     | 532165589        | Bracket Shift Mount               |
| 40      | <b>532175461</b> | Spacer Split                                                         | 159     | 532165494        | Hub Tapered Flange Shift Lt       |
| 41      | <b>532175556</b> | Keeper Belt Idler Flat                                               | 161     | 872140406        | Bolt Rdhd Sqnk 1/4-20 x 3/4 Gr 5  |
| 42      | 819131312        | Washer 13/32 X 13/16 X 12 Ga                                         | 162     | 873680400        | Nut Crownlock 1/4-20 Unc          |
| 47      | 532127783        | Pulley Idler V Groove Plastic                                        | 163     | 874780416        | Bolt Hex Fin 1/4-20 Unc x 1 Gr 5  |
| 48      | 532154407        | Bellcrank Clutch Grnd Drv Stl                                        | 164     | 819091010        | Washer 5/8 x .281 x 10 Ga         |
| 49      | 532123205        | Retainer Belt Style Spring                                           | 165     | 532165623        | Bracket Pivot Lever               |
| 50      | 874760624        | Bolt Hex Hd 3/8-16unc X 1-1/2                                        | 166     | 532166880        | Screw 5/16-18 x 5/8               |
| 51      | 873680600        | Nut Crownlock 3/8-16 Unc                                             | 168     | 532165492        | Bolt Shoulder 5/16-18 x .561      |
| 52      | 873680500        | Nut Crownlock 5/16-18 Unc                                            | 169     | 532165580        | Plate Fastening STLT/CRD          |
| 53      | 532105710        | Link Clutch                                                          | 170     | <b>532173898</b> | Keeper Belt T/A                   |
| 55      | 532105709        | Spring Return Clutch 6 75                                            | 197     | 532169613        | Nyliner Snap-In 5/8" ID           |
| 56      | 874760620        | Bolt Fin Hx 3/8-16 X 1/4                                             | 198     | 532169593        | Washer Nyl 7/8 Id x .105" Hyd     |
| 57      | 532130801        | V-Belt Ground Drive 95 25                                            | 202     | <b>872110614</b> | Bolt Carr Sh 3/8-16 x 1-3/4 Gr 5  |
| 59      | 532169691        | Keeper Belt Span Ctr                                                 | 212     | <b>532145212</b> | Nut Hex Flange Lock               |
| 61      | 817060612        | Screw 3/8-16x3/4                                                     |         |                  |                                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
STEERING ASSEMBLY



# REPAIR PARTS


TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
STEERING ASSEMBLY

| KEY NO. | PART NO.         | DESCRIPTION                      |
|---------|------------------|----------------------------------|
| 1       | 532139768        | Wheel Steering                   |
| 2       | 532154427        | Axle Asm Fr                      |
| 3       | 532169840        | Spindle Asm LH                   |
| 4       | 532169839        | Spindle Asm RH                   |
| 5       | 532124931        | Bearing Race Thrust Harden       |
| 6       | 532121748        | Washer 25/32 x 1-5/8 x 16 Ga     |
| 7       | 819272016        | Washer 27/32 x 1-1/4 x 16 Ga     |
| 8       | 812000029        | Ring Klip #5304-75               |
| 9       | 532124937        | Bearing Col Strg Blk             |
| 10      | <b>532175121</b> | Link Drag                        |
| 11      | 810040600        | Washer Lock Hvy Hlcl Spr 3/8     |
| 13      | 532136518        | Spacer Brace Axle                |
| 15      | 532145212        | Nut Hexflange Lock               |
| 17      | <b>532177876</b> | Shaft Asm Strg                   |
| 26      | 532126847        | Bushing Link Drag Blk LR         |
| 28      | 819131416        | Washer 13/32 x 7/8 x 16 Ga       |
| 29      | 817060612        | Screw 3/8-16 x .75               |
| 30      | 876020412        | Pin Cotter 1/8 x 3/4 Cad         |
| 32      | 532130465        | Rod Tie Wire Form 19 75 Mech     |
| 36      | 532155099        | Bushing Strg Nat .623/.618ld     |
| 37      | 532152927        | Screw TT #10-32 x 5 x 3/8 Flange |
| 38      | 532140175        | Cap Wheel Steer P/L              |
| 39      | 819133812        | Washer 13/32 x 2-3/8 x 12 Ga     |
| 40      | 532124701        | Nut Lock Center 3/8-24unf        |
| 41      | 532100711        | Adaptor Wheel Strg               |
| 42      | 532169633        | Boot Shaft Steering              |
| 43      | 532121749        | Washer 25/32 X 1 1/4 X 16 Ga     |
| 44      | 532153720        | Extension Steering               |
| 46      | 532121232        | Cap Spindle Fr Top Blk           |
| 47      | 532124836        | Fitting Grease                   |
| 51      | 873800500        | Nut Lock Hx w/Ins 5/16-18 Unc    |
| 54      | 874780520        | Bolt Fin Hex 5/16-18 Unc x 1-1/4 |
| 63      | 874780616        | Bolt Fin Hex 3/8-16 UNC Gr. 5    |
| 65      | 532160367        | Spacer Brace Axle                |
| 67      | 872140618        | Bolt RDHD SQ 3/8-16 UNC x 2-1/4  |
| 68      | 532169827        | Brace Axle                       |
| 71      | <b>532175146</b> | Steering Asm.                    |
| 82      | 532169835        | Bracket Susp. Chassis Front      |
| 85      | 532133835        | Fastener Christmas Tree          |
| 88      | <b>532175118</b> | Bolt Shoulder 7/16-20 Unc        |
| 91      | <b>532175553</b> | Clip Steering                    |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm.

# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
SEAT ASSEMBLY




| KEY NO. | PART NO.  | DESCRIPTION                    |
|---------|-----------|--------------------------------|
| 1       | 532140116 | Seat                           |
| 2       | 532140551 | Bracket Pivot Seat 8 720       |
| 3       | 871110616 | Bolt Fin Hex 3/8-16unc X 1     |
| 4       | 819131610 | Washer 13/32 X 1 X 10 Ga       |
| 5       | 532145006 | Clip Push-In                   |
| 6       | 873800600 | Nut Lock Hex w/Wsh 3/8-16 Unc  |
| 7       | 532124181 | Spring Seat Cprsn 2 250 Blk Zi |
| 8       | 817000616 | Screw 3/8-16 X 1.5             |
| 9       | 819131614 | Washer 13/32 X 1 X 14 Ga.      |
| 10      | 532174894 | Pan Seat                       |
| 12      | 532121246 | Bracket Mounting Switch        |
| 13      | 532121248 | Bushing Snap Blk Nyl 50 Id     |

| KEY NO. | PART NO.  | DESCRIPTION                       |
|---------|-----------|-----------------------------------|
| 14      | 872050412 | Bolt Rdhd Sht Nk 1/4-20x1-1/2     |
| 15      | 532134300 | Spacer Split 28x 96 Yel Zinc      |
| 16      | 532121250 | Spring Cprsn 1 27 Blk Pnt         |
| 17      | 532123976 | Nut Lock 1/4 Lge Flg Gr 5 Zinc    |
| 21      | 532171852 | Bolt Shoulder 5/16-18 Unc -2A     |
| 22      | 873800500 | Nut Lock Hex W/Insert 5/16-18 UNC |
| 23      | 871110814 | Bolt Hex                          |
| 24      | 819171912 | Washer 17/32 X 1-3/16 X 12 Ga.    |
| 25      | 532127018 | Bolt Shoulder 5/16-18 X 62        |
| 26      | 810040800 | Washer Lock Hvy HLCLSPR 1/2       |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm


# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
DECALS



| KEY NO. | PART NO.  | DESCRIPTION                   | KEY NO. | PART NO.  | DESCRIPTION                     |
|---------|-----------|-------------------------------|---------|-----------|---------------------------------|
| 1       | 532145437 | Decal Europe Stand CE         | 12      | 532126187 | Decal 100 DbA                   |
| 2       | 532145005 | Decal Bat Dan/Poi P/L Symbols | 13      | 532146998 | Decal Strg Wheel Cap            |
| 3       | 532175959 | Decal Hood LH                 | 14      | 532140986 | Decal Logo Grille               |
| 4       | 532175958 | Decal Hood RH                 | 15      | 532159737 | Decal Brake/Clutch              |
| 5       | 532170832 | Decal Engine                  | 19      | 532160396 | Decal V-Belt Sch                |
| 6       | 532137588 | Decal Chas. Turbo Collection  | --      | 532162598 | Decal Drawbar Load Limit        |
| 7       | 532140837 | Decal Saddle Brake Parking    | --      | 532138311 | Decal Lift Handle (Lift Handle) |
| 8       | 532140987 | Decal Fender Bernard          | --      | 532176663 | Manual Operator's Euro          |
| 9       | 532145498 | Decal Read Owners Manual Syms | --      | 532176665 | Manual Operator's Scan          |
| 10      | 532159736 | Decal Chassis Hot Muffler     |         |           |                                 |
| 11      | 532145494 | Decal Mower Cut finger Symbol |         |           |                                 |

## WHEELS & TIRES




| KEY NO. | PART NO.  | DESCRIPTION                       |
|---------|-----------|-----------------------------------|
| 1       | 532059192 | Cap Valve Tire                    |
| 2       | 532065139 | Stem Valve                        |
| 3       | 532106222 | Tire F 15 X 6-6 Service           |
| 4       | 532059904 | Tube Front (Service Item Only)    |
| 5       | 532125121 | Rim Asm 6" front Yellow Service   |
| 6       | 532124957 | Fitting Grease (Front Wheel Only) |
| 7       | 532124959 | Bearing Flange (Front Wheel Only) |
| 8       | 532125122 | Rim Asm 8" rear Yellow Service    |
| 9       | 532106268 | Tire R Ts 18 x 9.5-8 C. Service   |
| 10      | 532124926 | Tube Rear (Service Item Only)     |
| 11      | 532175039 | Cap Axle Blk 1 50 X 1 00          |

NOTE: All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
ENGINE




# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
ENGINE


| KEY<br>NO. | PART<br>NO. | DESCRIPTION                                                           |
|------------|-------------|-----------------------------------------------------------------------|
| 1          | 532170865   | Control Th/ch Flag Eec                                                |
| 2          | 817720410   | Screw Hex Thd Cut 1/4-20 x 5/8 T                                      |
| 3          | -----       | Engine B&S Model No. 289707<br>(Order parts from engine manufacturer) |
| 4          | 532137348   | Muffler LT B&S 12/12 5 HP                                             |
| 13         | 532165291   | Gasket Eng                                                            |
| 14         | 532148456   | Tube Oil Drain Easy                                                   |
| 16         | 811050600   | Washer Lock Ext Tooth 3/8                                             |
| 23         | 532169837   | Shield Brn/Dbr Guard                                                  |
| 29         | 532137180   | Kit Spark Arrecter                                                    |
| 31         | 532109202   | Tank Fuel Front 1.25                                                  |
| 32         | 532140527   | Cap Asm Fuel W/sym Vented                                             |
| 33         | 532123487   | Clamp Hose Blk                                                        |
| 37         | 532137040   | Line Fuel 20"                                                         |
| 38         | 532148315   | Plug Oil Drain Easy                                                   |
| 44         | 817670412   | Screw Hexwsh Thdrol 1/4-20 x 3/4                                      |
| 45         | 817000612   | Screw Hexwsh Thdrol 3/8-16 x 3/4                                      |
| 46         | 819091416   | Washer 9/32 x 7/8 x 16 Ga.                                            |
| 62         | 810040500   | Washer Lock Hvy Hlcl Spr 5/16                                         |
| 66         | 532127951   | Stop Throt 3000 Rpm                                                   |
| 72         | 871070512   | Screw Hexhd Cap 5/16-18x3/4                                           |
| 78         | 817060620   | Screw 3/8-16 x 1-1/4                                                  |
| 81         | 873510400   | Nut Keps Hex 1/4-20 UNC                                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
MOWER LIFT




# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
MOWER LIFT


| KEY<br>NO. | PART<br>NO. | DESCRIPTION                   |
|------------|-------------|-------------------------------|
| 1          | 532159460   | Wire Asm Inner W/Plunger      |
| 2          | 532159471   | Shaft Asm Lift                |
| 3          | 532105767   | Pin Groove                    |
| 4          | 812000002   | E Ring #5133-62               |
| 5          | 819211621   | Washer PLTD 21/32 X 1 X 21ga  |
| 6          | 532120183   | Bearing Nylon Blk 629 Id      |
| 7          | 532109413   | Grip Handle Bicycle Matte Blk |
| 8          | 532124526   | Button Plunger Black          |
| 11         | 532139865   | Link Lift LH                  |
| 12         | 532139866   | Link Lift RH                  |
| 13         | 532124670   | Retainer Spring               |
| 15         | 532173288   | Link Front                    |
| 16         | 873350800   | Nut Jam Hex 1/2-13 Unc        |
| 17         | 532130171   | Trunnion Blk Zinc             |
| 18         | 873800800   | Nut Lock W/Wsh 1/2-13 Unc     |
| 19         | 532139868   | Arm Suspension Rear           |
| 20         | 532163552   | Retainer Spring               |
| 31         | 532169865   | Bearing Pvt Lift              |
| 32         | 873540600   | Nut Crownlock 3/8-24          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
MOWER



# REPAIR PARTS

TRACTOR- -MODEL NO. 12-107 (P12S105C), PRODUCT NO. 954 12 00-30  
MOWER

| KEY NO. | PART NO.         | DESCRIPTION                     | KEY NO. | PART NO.  | DESCRIPTION                                                    |
|---------|------------------|---------------------------------|---------|-----------|----------------------------------------------------------------|
| 1       | 532165892        | Housing Asm Mower 42" T-Path    | 46      | 532137729 | Screw Hex Thd Cut 1/4-20x5/8 T                                 |
| 2       | 872140506        | Bolt Rdhd Sqnk 5/16-18unc X3/4  | 48      | 532133944 | Washer Hardened Smaller                                        |
| 3       | 532138017        | Bracket Asm Fr Sway Bar 38/42   | 49      | 532174284 | Roller Asm Cam Follower 42" dec                                |
| 4       | 532165460        | Bracket Asm Deck 42" sway Bar   | 50      | 532131340 | Bolt Shldr 10-24 Zinc Gr 5 42"                                 |
| 5       | 532124670        | Retainer Spring                 | 51      | 532069180 | Nut Lock #10-24 Unc                                            |
| 6       | 532130832        | Arm Suspension Rear             | 52      | 532139888 | Bolt Shoulder 5/16-18 Unc Blkz                                 |
| 8       | 532850857        | Bolt 3/8 - 24 X 1.25 Gr 8       | 53      | 532131845 | Arm Asm Pad Brake                                              |
| 9       | 810030600        | Washer Lock Hvy 3/8 Unplated    | 54      | 532133943 | Washer Hardened                                                |
| 10      | 532140296        | Washer Hard Blade Mower         | 55      | 532155046 | Arm Idler 42" mower LT/YT                                      |
| 11      | 532138498        | Blade Mower High Lift           | 56      | 532165723 | Spacer Retainer Pm Mower                                       |
| 13      | 532137645        | Shaft Asm W/Lower Bearing       | 59      | 532141043 | Guard TUV Idler                                                |
| 14      | 532128774        | Housing Mandrel Vented (Machd)  | 67      | 532106932 | Knob Rd 3/8-16 Plstc Thds Blk                                  |
| 15      | 532110485        | Bearing Ball Mandrel            | 68      | 532144959 | V-Belt Mower                                                   |
| 16      | <b>532174493</b> | Stripper Mandril                | 142     | 532165890 | Arm Spring Brake Mower                                         |
| 18      | 872140505        | Bolt Carr 5/16-18 X 5/8         | 143     | 532157109 | Bracket Arm Idler 42"                                          |
| 19      | 532132827        | Bolt Shoulder                   | 144     | 532158634 | Keeper Belt 42" Clutch Cable                                   |
| 20      | 532159770        | Baffle Vortex 42"               | 145     | 532165888 | Pulley Idler Flat                                              |
| 21      | 873680500        | Nut Crown Lock 5/16-18          | 146     | 532171977 | Bolt Carriage Idler                                            |
| 22      | 532134753        | Stiffener Bracket 42" deck      | 147     | 532131335 | Spring Extension                                               |
| 23      | 532131267        | Bracket Deflector Mower 42"     | 148     | 532169022 | Spring Return Idler                                            |
| 24      | 532105304        | Cap Sleeve 80x 112 Blk Mower    | 149     | 532165898 | Retainer Spring Yellow                                         |
| 25      | 532123713        | Spring Torsion Deflector 2 52   | 150     | 819091216 | Washer 9/32 x 3/4 x 16 Ga.                                     |
| 26      | 532110452        | Nut Push Phos & Oil             | 151     | 532169670 | Bracket Clutch Cable                                           |
| 27      | 532171859        | Shield Deflector Mower 42"      | 152     | 532169676 | Clutch Cable 42"                                               |
| 28      | 819111016        | Washer 11/32 X 5/8 X 16 Ga.     | 153     | 532169674 | Washer Flat 3/8" Type B                                        |
| 29      | 532131491        | Rod Hinge 42" 6 75 Wlg          | 154     | 532169675 | Spring Retainer                                                |
| 30      | 532157722        | Screw Thdrol Washer Head        | 155     | 532169671 | Spring Retention Lvr Cltch Cab                                 |
| 31      | 532129963        | Washer Spacer Mower Vented      | 156     | 532169672 | Spacer Clutch Cable                                            |
| 32      | 532153535        | Pulley Mandrel 42/44/50         | 157     | 532169669 | Rod Clutch Cable 3/8"                                          |
| 33      | 532137266        | Nut 9/16 Top Lock Fing Oil Dip  | 158     | 817720410 | Screw Hex Thd Cut 1/4-20 x 5/8                                 |
| 34      | 872110614        | Bolt Rdhd 3/8-16unc X 1-3/4 Gr5 | 159     | 872140614 | Bolt Rdhd Sqnk 3/8-16 UNC x 1-3/4                              |
| 36      | 532131494        | Pulley Idler Flat 3 060         | --      | 532171639 | Deck Serv 42"                                                  |
| 37      | 819131316        | Washer 13/32 X 13/16 X 16       | --      | 532130794 | Mandrel Asm Service (Includes Key Nos. 8-10, 13-15, 31 and 33) |
| 40      | 873680600        | Nut, Crownlock 3/8-16 UNC       |         |           |                                                                |
| 44      | 532140088        | Guard Mandrel LH Black          |         |           |                                                                |
| 45      | 532124788        | Spring Retainer 1" Zinc/cad     |         |           |                                                                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm