

ORIGINAL
 PARTS
 REQUESTS

6LD260 6LD325 6LD360
6LD260/C 6LD325/C 6LD360/C


Cilindro integrato
Ch. n° 2733504

LOMBARDINI MOTORI
 SERVICE
 LOMBARDINI
 FABBRICA ITALIANA MOTORI S.p.A.
 REGGIO EMILIA, ITALIA
 MADE IN ITALY

SERIE GUARNIZIONI
 POCLETTE JOINTS
 GASKET SET
 NICHTUNGSSATZ
 SERIE JUN 1AS

RICAMBI PRIMO IMPIEGO
 PIÈCES POUR L'ENTRETIEN
 MAINTENANCE SPARE PARTS
 WARTUNG - ERSATZTEILE
 REPUESTOS DE PRONTO EMPLEO

REPUESTOS ORIGINALES
 ORIGINAL ERSATZTEILE
 GENUINE SPARE PARTS
 PIÈCES D'ORIGINE
 RICAMBI ORIGINALI



LC
 FAB
 REC
 MA

LON
 FABRI
 REGG
 MAI


SER
 POC
 GAS
 RIC/
 PIEC
 MAI
 WAF
 REPI

SERI
 POCI
 GASI
 RIC/
 DICH
 SERIE
 RICAI
 PIECE
 MAIN
 WART
 REPI

RICAMBI PER MOTORE STANDARD.
PER APPLICAZIONI SPECIALI CONSULTARE
IL CATALOGO PRESSO I CENTRI ASSISTENZA
E RICAMBI.

PIECES POUR DES MOTEURS STANDARD.
POUR LES ADAPTATIONS CONSULTER
LE CATALOGUE AUPRES
DES AGENTS SERVICE.


SPARE PARTS FOR STAND
FOR SPECIAL APPLICATION
CATALOG AT SERVICE CENT



R STANDARD ENGINE.
APPLICATIONS SEE MASTER
VICE CENTERS.

ERSATZTEILE FÜR STANDARD-MOTOREN.
FÜR SONDERANFERTIGUNGEN SIEHE
ERSATZTEILKATALOG BEI SERVICE
WERKSTÄTTEN.


REPUESTOS PARA MOTORES STANDARD.
PARA APLICACIONES VEASE CATALOGO
EN LAS ESTACIONES SERVICE.



15-5-1985
612-140-1400 610-1100
140-1400/C

6

500	6 LD 260
520	6 LD 325
530	6 LD 360
532	6 LD 360/V
-	6 LD 400
503	6 LD 260/C
523	6 LD 325/C
533	6 LD 360/C



LEGENDA	TAVOLA RICAMBI SPARE PARTS TABLE TABLEAU PIECES DETACHEES	MATR. P.NO. ... 1.5302.143 REF.
---------------	---	---------------------------------------

15.05.1985

MOTORI TIPO	6LD 260	6LD 260/C	CON CILINDRO INTEGRALE
ENGINES TYPE	6LD 325	6LD 325/C	WITHOUT DETACHEABLE CYL.
MOTEURS TYPE	6LD 360	6LD 360/C	AVEC CYLINDRE INTEGRAL

VEDI/SEE/VOIR

LIBRETTO USO E MANUTENZIONE USE-MAINTENANCE BOOKLET	1.5302.077
LIVRET EMPLOI-ENTRETIEN LIBRETTO SERVICE SERVICE DIRECTORY	1.7968.002
RESEAU S.A.V. SERIE ACCESSORI ACCESSORY SET	283.8140.080
JEU ACCESSOIRES		

NOTE/REMARKS/REMARQUES

- F - ALTA MOVIMENTAZIONE/FAST MOVING PART/HAUTE MOUVEMENT.
- S - MEDIA MOVIMENTAZIONE/MEDIUM MOVING PART/MOYEN MOUVEMENT.
- D - BASSA MOVIMENTAZIONE/SLOW MOVING PART/BAS MOUVEMENT.
- E - AD ESAURIMENTO/EXHAUSTING PART/PIECE EN EPUISEMENT.
- N - PARTICOLARE NUOVO O FORNITO SU RICHIESTA/
-NEW PART OR PART SUPPLIED UPON REQUEST/
-PIECE NOUVELLE OU FOURNIE SUR DEMANDE.
- A - VALIDO DAL MOTORE.../FROM ENG.S.NO.../A PARTIR DU MOTEUR...
(VEDI CIRCOLARE TECNICA/SEE SERVICE LETTER/VOIR CIRC.TECHN.)
- B - VALIDO FINO AL MOTORE.../UP TO ENG.S.NO.../JUSQU'AU MOTEUR...
(VEDI CIRCOLARE TECNICA/SEE SERVICE LETTER/VOIR CIRC.TECHN.)
- I - INTERCAMBIABILE/INTERCHANGEABLE.
(VEDI CIRCOLARE TECNICA/SEE SERVICE LETTER/VOIR CIRC.TECHN.)
- V - STOCK VITALE PER OFFICINE SERVICE.
VITAL STOCK FOR SERVICE DEALER.
STOCK VITAL POUR STATIONS SERVICE.
- C - STOCK VITALE PER COSTRUTTORI, ESPORTATORI, ENTI DI STATO.
VITAL STOCK FOR PRODUCERS, EXPORTERS, STATE COMPANIES.
STOCK VITAL POUR CONSTRUCTEURS, EXPORT., INSTITUT. DE L'ETAT.
- R - STOCK VITALE PER RETTIFICA.
VITAL STOCK FOR GRINDING WORKSHOPS.
STOCK VITAL POUR USINES DE RECTIFICATION.
- 10/50/2-Q.TA MINIMA FORNIBILE/MIN.SUPPLIED Q.TY/Q.TE MIN.FOURNIE.
- GRUPPO COMPLETO/ASSEMBLY/GROUPE COMPLETE.
- + COMPONENTE DEL GRUPPO/ASSEMBLY COMPONENT/COMPONENT DU GROUPE.

SERIE GUARNIZIONI	500.8180.039	6LD260-260/C
GASKET SET	520.8180.047	6LD325-325/C
	530.8180.055	6LD360-360/C

BLOCCO MOTORE SHORT BLDCK		TIPO MOTORE ENGINE TYPE		BL. MOTORE CON TESTA SH. BLOCK WITH CYL.H	
5000.1560.019	6LD260	CONIC.	5000.1560.113		
5000.1560.035	6LD260	EXT.4 SAE	5000.1560.120		
5000.1560.037	6LD260	EXT.A 3	5000.1560.123		
5030.1560.025	6LD260/C	CONIC.	5030.1560.114		
5200.1560.022	6LD325	CONIC.	5200.1560.114		
5200.1560.036	6LD325	EXT.4 SAE	5200.1560.121		
5200.1560.038	6LD325	EXT.A 3	5200.1560.124		
5230.1560.026	6LD325/C	CONIC.	5230.1560.117		
5300.1560.047	6LD360	CONIC.	5300.1560.115		
5300.1560.046	6LD360	EXT.4 SAE	5300.1560.122		
5300.1560.048	6LD360	EXT.A 3	5300.1560.125		
5300.1560.062	6LD360	EXT.2 SAE	5300.1560.127		
5330.1560.044	6LD360/C	CONIC.	5330.1560.118		
5330.1560.043	6LD360/C	EXT.4 SAE	5330.1560.126		
FIG. NO.	MATRICOLA P.NO	Q.TA Q.TY	NOTE REMARKS	GR. 6 - 1.5302.143	PAG. 2
1+2=	=2830.9043.025 FV C	1	TAPPO SERBATOIO/FUEL TANK CAP STD.		
2+	2700.4650.056 N	10 1			
3+	5030.9043.045 S	1	TAPPO SERBATOIO/TANK CAP SPECIAL		
..	500.9043.034 N	1	X SERB.CON TAPPO RIF.LAT.(9996.779) RIGHT SIDE FILLING CAP F.TANK		
4	500.4701.010 F C	10 1			
5	500.8866.053 F C	1	X SERB.L.DISTR./GEAR SIDE FUEL TANK		
6	9.1770.004 F C	10 2	M 8 X 1,25 X 20		
7	9.7565.007 FV C	10 2			
8	292.2135.094 D	1			
9+72+73+133+629=	=500.3700.105 F IC	1	CON CAPPELOTTO/AIRCLEAN.WITH COVER STD.		
	=500.3700.106 D IC	1	X MOTORI CON POMPA ALIMENTAZIONE ENGINES WITH FUEL FEED.PUMP		
9+10+11+12+13+72+	73+133+629=		FILTRO ARIA CON PREFILTRO A CICLONE CYCLONIC TYPE AIRCLEANER		
	=500.3700.107 F IC	1	STD.		
	=500.3700.108 S I	1	X MOTORI CON POMPA ALIMENTAZIONE ENGINES WITH FUEL FEED.PUMP		
10+	9.7555.004 S C	10 1			
11+	9.3200.002 S	10 1			
12+	500.2125.055 SV C	1			
13+	500.1301.053 FV C	10 1	PREFILTRO/PREFILTER		
14	9.9730.023 N	1			
15+	2760.3617.020 S	10 1			
16+	2830.9600.064 S	1	MM 700		
..	5000.9601.044 FV C	10 1	MM 500		
17+	2830.2145.003 F C	1			
18	270.9055.003 FV C	10 1			
19	500.3695.038 SV	10 1			
20	500.3790.042 S I	1			
21	9.7565.004 FV C	10 2			
22	9.3240.008 F C	10 2			
23				
24	500.9601.064 FV C	10 1	STD. (MM 530)		
..	5000.9601.065 N	1	X FILTRO COMB.SUL MOTORE (MM 1290) FUEL FILTER ON ENGINE		
25	9.1900.002 FV C	10 1			
26	9.4670.003 FV C	10 2			
27	5000.9375.078 D	1	X SERB.L.VOLANO/FLYWH.SIDE F.TANK		

FIG. NO.	MATRICOLA P.NO	Q.TA Q.TY	NOTE REMARKS	GR. 6 - 1.5302.143 PAG. 3
28+29+56= =5000.6927.036 S		1		
29+		VEDI/SEE FIG. 28+...	
30	9.3240.008 F BC	10 4		
31	9.7565.004 FVBC	10 4		
32	9.1760.032 S B	10 4	M 6 X 1 X 14	
33	9.1770.053 N	10 2	M 8 X 1,25 X 16	
34	5000.5725.034 S	10 2		
34	5000.8903.051 D	1	X 6LD260-325	
34	5300.8903.052 S C	1	X 6LD360	
35	2700.4650.056 N	10 1		
36	5000.6902.018 D	1		
37+1+2= =500.8103.038 F C		1	SERBATOIO COMPLETO/FUEL TANK STD.	
38	9.7565.007 FV C	10 2		
39	9.3240.020 F C	10 2		
40	9.3240.021 S	10 2		
41	9.7565.007 FV C	10 2		
42	5200.2942.019 D I	1		
43+	500.4500.092 F	10 1		
45	9.3230.026 S	10 2	LATO DISTRIBUZIONE/GEAR SIDE	
46+	904.8506.003 S AC	10 1		
47+48= =270.9050.021 FV C		1	TAPPO SFIATO/BREATHING CAP STD.	
47+15+16+17+48= =2830.9050.029 FV C		1	TAPPO SFIATO/BREATHING CAP PROTETTO/PROTECTED	
48+	9.1200.014 FVIC	10 1		
49+85= =500.6615.032 FV C		1	PORTAPOLVERIZZATORE/NOZZLE HOLDER STD.	
50	9.4670.015 FV C	10 1		
51	710.1901.012 FVIC	10 1		
52	9.4670.003 FV C	10 1		
53	9.4670.003 FV C	10 1		
54	9.1900.002 FV C	10 1		
55	500.9372.090 FV C	1		
56+		VEDI/SEE FIG. 28+...	
58	720.3527.004 F	10 4		
59+110+111= =500.3617.010 F C		10 2	FASCETTA FISSAGGIO SERBATOIO FUEL TANK FIXING CLAMP	
61	9.1770.004 F C	10 2	M 8 X 1,25 X 20	
62	9.7565.007 FV C	10 2		
63	9.7625.012 FV C	10 2		
64	5000.8866.058 S	1	X SERB.L.VOLANO/FLYWH.SIDE F.TANK	
65	9.3240.018 F C	10 2		
66	9.1770.017 S	10 1	M 8 X 1,25 X 60	
67	500.5111.066 S	10 1		
68	5000.8866.064 S	1	X 6LD260-260/C-325-325/C	
68	5000.8866.059 S	1	X 6LD360-360/C	
69	9.3240.018 F C	10 2		
70	9.7565.007 FV C	10 2		
71+	500.4500.092 F	10 2		

FIG. NO.	MATRICOLO P.NO	Q.TA Q.TY	NOTE REMARKS	GR. 6	1.5302.143	PAG. 4
72+	500.3526.052	F BC 10 1			H= 18 DIAM.=117	
..	9.1201.049	FVBC 10 1			H=5,5 DIAM.=128	
..	500.4775.120	FVAC 10 1			H= 10 DIAM.=135	
73+	500.1261.072	FVIC 10 1	H=17,6 DIAM.=54			
75+	9.6780.010	FV C 10 1	M 8 X 22 (34)			
76+	9.6780.071	FV C 10 1	M 8 X 28 (40)			
77+	9.9730.034	D 10 2	M 8 X 1,25 X 55			
78+46+77=	=500.2125.084	F IC 1	CAPPELLO SCATOLA BILANCIERI ROCKER ARM COVER			
79+	500.4400.015	F 50 1				
80+	500.4845.071	FVICR10 1	STD. GUIDA V.ASP./INLET V.GUIDE			
..	500.4845.075	D I R10 1	+0,50			
81+	500.1160.008	FV C 10 2				
82+	500.4845.030	FV CR10 1	STD. GUIDA V.SCAR./EXHAUST V.GUIDE			
..	500.4845.052	D R10 1	+0,50			
83	9.7625.061	S C 10 2	LATO VOLANO/FLYWHELL SIDE			
84	9.3240.016	F C 10 2	LATO VOLANO/FLYWHELL SIDE			
85+	520.6531.095	FVIC 1	POLVERIZZATORE/NOZZLE STD.			
86	9.4670.005	FVBC 10 1	0,50 D=16,50			
..	9.4670.006	FVBC 10 2	1,00 D=16,50			
..	9.4670.064	FVAC 10 1	1,00 D=18,85			
..	9.4670.065	FVAC 10 1	1,50 D=18,85			
87	9.4670.003	FV C 10 1				
88	500.9375.204	FVAC 1	DA SERB.L.DISTR.A POMPA IN.(MM 142) FROM GEAR SIDE F.TANK TO INJECT.PUMP			
..	5000.9375.245	D A 1	DA SERB.L.VOL. A POMPA IN.(MM 420) FROM FLYW.SIDE F.TANK TO INJECT.PUMP			
89+	9.1200.031	FV C 10 1				
90+	271.7265.008	D 1				
91	9.4670.015	FV C 10 1				
92	9.9730.100	FV C 10 2	M 8 X 1,25 X 25			
93	9.7625.010	FV C 10 2				
94	9.9790.037	FV C 10 1	M 6 X 1 X 8			
95	2830.3617.016	S 10 1				
96	283.1156.090	FVIC 1	ALTERNATOR 12 V 12 A			
..	5000.1156.098	F C 1	.. 12 V 4 A			
97	500.6275.076	S C 10 1				
98	9.7555.004	S C 10 2				
99	9.9730.012	S 10 2	M 6 X 1 X 20			
100	5000.3350.065	D 1	X AVVIAM.ELETTR./EL.STARTING			
..	500.3350.057	D B 1	X AVV.MAN./HAND-CRANK START. FIND A.../UP TO ENG.S.NO...			
..	540.3350.090	N 1	X AVV.MAN./HAND-CRANK START. DA.../FROM ENG.S.NO...			
101+	530.2816.036	SVAC 1	CORONA AVVIAMENTO/CROWN GEAR			
102+101=	=5000.9885.047	S AC 1	VOLANO+CORONA / FLYWHELL+CROWN GEAR X AV.EL./EL.ST.12V 4A 6LD260-325-360			
	=5000.9885.048	S AC 1	X AV.EL./EL.ST.12V 12A			
102	500.9881.055	S 1	X 6LD260-325 STD.			
..	5000.9882.027	N 1	X 6LD260-325 IMP.LUCE/LIGHT.SYSTEM			
..	503.9882.002	D 1	X 6LD260/C-325/C STD.			
..	5300.9884.005	S C 1	X 6LD360-360/V STD.& IMP.LUCE/LIGHT			
..	533.9884.007	N 1	X 6LD360/C STD.			
..	533.9884.008	N 1	X 6LD 360/C IMP.LUCE/LIGHT.SYSTEM			
..	5000.9885.021	N B 1	X AVV.MANOV.CON/SENZA IMP.LUCE HAND-CRANK START.WITH/WITHOUT			
..	540.9880.129	N A 1	LIGH.SYST.SU/ON 6LD260-325-360			
..	5030.9884.083	N B 1	X AVV.MANOV.CON/SENZA IMP.LUCE			
..	543.9880.130	N A 1	HAND-CR.START.WITH/WITHOUT LIGHT. SYSTEM SU/ON 6LD260/C-325/C-360/C			

FIS. NO.	MATRICOLO P.NO	DATA Q.TY	NOTE	REMARKS	CR. 4 - 1 5302 143	PAG. 5
104	500.5096.009	S B	1	X AVV.MAN./HAND-CRANK STARTING		
105	500.5095.076	FVAC	1			
105	500.6960.069	FV C	1	X 6LD260-325-360	STD.	
	503.6960.083	S C	1	X 6LD260/C-325/C-360/C	STD.	
106	9.7626.043	F IC	10	1		
107	9.1800.030	F IC	10	1	X 6LD260-325-360-360/V	
	9.1800.029	S	1	1	X 6LD260/C-325/C-360/C	
108	9.9730.027	FV C	10	4	M 8 X 1,25 X 25	
109	9.7565.007	FV C	10	4		
110+	9.9730.016	FV C	10	2	M 6 X 1 X 35	
111+	45.1557.019	FV C	10	2		
112	271.9600.057	FV C	10	2		
113+	273.5575.006	FV C	10	1		
114+	273.3930.019	F C	10	1		
115+	9.1200.032	FV C	10	1		
118+	9.1165.001	S	10	1		
119+	9.3240.004	F C	10	1		
120+	90.6330.057	D	10	1		
121+	9.7625.019	S C	10	1		
122+	500.5201.094	S	1			
123+	270.6550.010	S	10	1		
124	9.1770.009	S	10	4	X 6LD260-325-360	M 8 X 35
	9.1770.031	N	10	4	X 6LD260/C-325/C-360/C	M 8 X 50
125	9.7565.007	FV C	10	4		
126	9.7625.061	S C	10	4		
127	5000.8866.063	S	1	1	X 6LD260-260/C-325-325/C	
	5000.8866.061	S	1	1	X 6LD360-360/C	
128	9.3240.006	F C	10	1		
129	9.1760.029	N	10	1	M 6 X 1 X 30	
130	5300.3521.034	S I	10	1		
131	9.6780.012	FV C	10	2	M 8 X 25 (37)	
132	5000.8546.027	S	1			
133+	500.5496.057	FVBC	1	1	MASSA/FILTER.ELEMENT	H=87 DIAM.=120
	500.5496.071	FVAC	1	1		H=90 DIAM.=119
134	500.1400.035	FV C	10	1	STD. MM 385	
	5000.1400.072	S C	1	1	SPECIAL MM 190	
135+	500.9850.048	FV C	10	1		
136+	9.3240.008	F C	10	1		
137+	9.1760.001	F C	10	1	M 6 X 1 X 10	
138+	9.4670.001	FV C	10	1		
139+	715.9820.080	S	10	1		
140+75+76+80+81+82+					TESTA COMPLETA PREDISPOSTA	
137+138+139+141+142+					PER DECOMPRESSIONE	
143+144+200+201+202+					CYLINDER HEAD PRESET FOR	
203+204+206+268+269+					DECOMPRESSION	
270+325+326+327=						
	=502.9201.061	SV C	1	1	X 6LD260-260/C	
	=522.9201.062	SV C	1	1	X 6LD325-325/C-360-360/C	
141+	500.8000.039	S CR10	1	1	ASP./INLET SOLO/ONLY X 6LD260-260/C	
	520.8000.053	FVBCR10	1	1	SEDE V.ASPIRAZ./INLET V.SEAT	
	283.8000.036	FVACR10	1	1		
142+	500.8000.038	S CR10	1	1	SC./EXHAUST SOLO/ONLY X 6LD260-260/C	
	520.8000.054	FVBCR10	1	1	SEDE V.SCARICO/EXHAUST V.SEAT	
	283.8000.037	FVACR10	1	1		
143+	9.6780.068	S	10	2	M 8 X 18 (30) STD.	
	9.6780.010	FV C	10	2	M 8 X 22 (34) SPECIAL K 9997.717	
	9.6780.069	FV C	10	2	X MARM.A BAULETTO/BOX FORM MUFFLER	
144+	9.6760.035	FV C	10	2	M 6 X 53 (65)	

NO.	P.NO	Q.TY	REMARKS	PAG. 6
145+89+90=			POMPA INIEZIONE/INJECTION PUMP	
	=500.6590.019	FV C 1	X 6LD260-260/C-325-325/C STD.	
	=500.6590.044	SV C 1	X " " " " " " BOSCH TYPE	
	=530.6590.069	FVIC 1	X 6LD360-360/C " " " " STD.	
146	500.7215.035	FV C 1		
147+	500.4580.023	N 50	1 0,30	
..	500.4580.024	N 50	1 0,50	
..	500.4580.029	N 50	1 1,00	
..	500.4580.057	N 50	1 0,05	
148	500.6000.036	FV C 10	1	
149	500.9472.012	F C 1	BOSCH TYPE	
150	271.5755.034	S 10	1	
151+	500.8210.064	FV C 10	1 STD. X 6LD260-260/C	
..	500.8210.065	FV CR10	1 +0,50	
..	500.8210.066	S CR10	1 +1,00	
..	520.8210.080	FV C 10	1 STD. X 6LD325-325/C	
..	520.8210.081	FV CR10	1 +0,50	
..	520.8210.082	F CR10	1 +1,00	
..	530.8210.083	FV C 10	1 STD. X 6LD360-360/C	
..	530.8210.087	FV CR10	1 +0,50	
..	530.8210.088	F CR10	1 +1,00	
152	500.3617.021	S 10	1 X 6LD260-260/C-325-325/C	
..	530.3617.046	N 1	X 6LD360-360/C	
153	9.9730.012	S 10	4 X AVV.EL./EL.ST.12V 4A-M 6X1X20	
..	9.1760.001	F C 10	3 X " " " " 12V 12A-M 6X1X10	
154	9.7555.004	S C 10	4 X " " " " 12V 4A	
..	9.7565.004	FV C 10	3 X " " " " 12V 12A	
155	9.7565.004	FV C 10	6 X " " " " 12V 4A	
156	9.1760.042	S 10	6 X " " " " 12V 4A	
158	9.1765.053	F IC 10	4 M 7 X 1 X 24 STD.	
..	9.1765.006	N 10	4 M 7 X 1 X 10 (MOTORI SENZA PULEGGIA) (ENGINES WITHOUT PULLEY)	
159	90.8460.083	N 10	1	
160	500.4570.012	D 10	1	
161	283.4055.003	F C 1	1	
162+113+114+115+163+			FILTRO COMBUSTIBILE COMPLETO	
164+165+166+167=			FUEL FILTER ASS.Y	
	=500.3730.028	FV C 1		
162+	500.2175.032	FV C 1	CARTUCCIA COMB./F.FILTER ELEMENT	
163+	273.4490.017	FV C 10	1	
164+	500.4431.040	F 10	1	
165+	9.1760.076	N A 1	1	
166+	9.1202.052	FVAC 10	1	
167+165+166=				
	=500.2605.024	F IC 1		
168	9.4670.003	FV C 10	1	
169+239+240=				
	=500.2516.013	S C 1		
170+	9.3200.015	FVIC 10	1	
171	9.9790.039	FV C 10	4 M 6 X 1 X 12	
172+175+176+178+179+			COMANDO A DISTANZA COMPLETO	
239+240+243+244+571=			REMOTE CONTROL ASS.Y	
	=500.2515.087	S C 1		
173+	9.7626.054	FVAC 10	1	
175+	9.3240.008	F C 10	1	

FIG. NO.	MATRICOLO F.NO	Q.TA Q.TY	NOTE REMARKS	GR. 6 - 1.5302.143	PAG. 7
176+	500.5202.014	F C 10 1			
177+118+119+120+121+			COMANDO A MANO COMPLETO		
122+123+170+173+175+			HAND CONTROL ASS.Y		
176+178+179+180=					
	=500.2691.020	F C 1			
178+	500.5680.044	FV C 10 1			
179+	500.5202.060	S 10 1			
180+	500.6371.033	S C 1			
181	9.3240.008	F C 10 1			
182	9.1760.029	N 10 1	M 6 X 1 X 30		
183+	9.3240.008	F C 10 1			
184+	9.7565.004	FV C 10 1			
185+	9.3240.058	S 10 1			
186+185=			SUPPLEMENTO DI COPPIA		
	=530.8576.007	FV C 1	EXTRA FUEL DEVICE		
187	9.9730.024	FV C 10 1	M 8 X 1,25 X 14		
188	9.7565.007	FV C 10 1			
189	9.7625.061	S C 10 2			
190	9.7565.007	FV C 10 2			
191	9.3240.018	F C 10 2			
192	500.5095.099	S C 10 1			
193	9.9790.037	FV C 10 2	M 6 X 1 X 8		
194	500.5203.019	FV C 1	STD.		
..	500.5203.002	S 1	X GR.ELETTR./GENERATOR SETS		
195	9.1585.028	S 10 1	X		
196	500.5670.008	D 10 1	X GR.ELETTR./GENERATOR SETS		
197	9.4670.003	FV C 10 1			
198	500.6140.164	FVAC 10 1	STD.		
..	500.6141.074	S 1	X GR.ELETTR./GENERATOR SETS		
199+135+136+205+207+			GRUPPO BILANC.COMPLETO		
208+209+210=			ROCKER ARM ASS.Y		
	=502.4330.030	S C 1	STD.		
	=5030.4330.042	N 1	X 6LD260/C-325/C-360/C		
			ROTAZ.D./CLOCKW.ROTAT.		
200+	9.1200.034	FV C 10 1			
201+	500.1110.071	S C 1			
202+	9.8430.009	S 10 1			
203+	500.5680.046	S 10 1			
204+200+201+202+203+			DECOMPRESSIONE COMPLETA		
206=			DECOMPRESSION ASS.Y		
	=502.3348.017	S C 1			
204+	500.5270.078	S 1			
205+	502.6045.033	SVIC 1			
206+	9.8430.023	FV C 10 1			
207+	500.9850.048	FV C 10 1			
208+	9.3240.008	F C 10 2			
209+	500.9850.052	S C 10 1			
210+		VEDI/SEE FIG.NO. 199+...		
211	500.5270.085	FVAC 1	FIND A... & DA...		
..	500.5271.022	E 1	UP TO ENG.S.NO... & FROM ENG.S.NO...		
			DA... & FIND A...		
			FROM ENG.S.NO... & UP TO ENG.S.NO...		
212	9.3240.018	F C 10 2			
213	9.7555.007	FV C 10 2			
214	503.6275.069	D 1	X 6LD260/C-325/C--360/C		
215	9.1200.001	FV C 10 2			

FIG.	MATRICOLO	Q.TA	NOTE	CR. 6 - 1.5302.143
NO.	P.NO	Q.TY	REMARKS	PAG. 8
216	500.5270.084 FVAC	1	FINO A... & DA... UP TO ENG.S.NO... & FROM ENG.S.NO...	
..	500.5271.022 E	1	DA... & FINO A... FROM ENG.S.NO... & UP TO ENG.S.NO...	
217	500.7550.006 S C 10	1		
218	500.6140.080 S C 10	1		
219	500.6400.045 SV C 10	1		
220	500.6578.010 FV C	1	X 6LD260-260/C-325-325/C STD.	
..	500.6578.019 D	1	X " " " " BOSCH TYPE	
..	530.6578.014 FV C	1	X 6LD360-360/C STD.	
..	530.6578.021 S	1	X " " " " BOSCH TYPE	
221+151+222+223=			PISTONE COMPLETO/PISTON ASS.Y	
=500.6501.090 FV C		1	STD. X 6LD260-260/C	
=500.6501.091 FV CR		1	+0,50	
=500.6501.092 S CR		1	+1,00	
=5030.6500.195 D C		1	STD. X 6LD260/C CLOCKWISE ROTATION	
=5030.6500.196 D CR		1	+0,50	
=5030.6500.197 D CR		1	+1,00	
=520.6502.028 FV C		1	STD. X 6LD325-325/C	
=520.6502.029 FV CR		1	+0,50	
=520.6502.030 F CR		1	+1,00	
=530.6502.063 FV C		1	STD. X 6LD360-360/C	
=530.6502.064 FV CR		1	+0,50	
=530.6502.065 F CR		1	+1,00	
222+	500.8480.023 F C	1		
223+	9.1240.017 FV C 10	2		
224	9.7565.004 FV C 10	5		
225	9.1760.042 S 10	5	X AVV.EL./EL.ST. 12V 4A-M 6X1X18	
..	9.9730.015 S C 10	5	X " " " " 12V 12A-M 6X1X30	
226	500.5065.100 FVIC	1		
227	500.6372.077 S IC	1	X 6LD260-260/C-325-325/C	
..	530.6372.075 S C	1	X 6LD360-360/C	
..	530.6372.062 S AC	1	X AVV.EL./ELECTRIC STARTING	
228	530.4570.010 FV C	1	STD.	
..	530.4570.011 N 50	1	X AVV.EL./ELECTRIC STARTING	
229	500.2568.086 S IC	1	X 6LD260-325	
..	503.2568.087 S AC	1	X 6LD260/C-325/C	
..	533.2568.091 D A	1	X 6LD360/C	
..	530.2568.092 S IC	1	X 6LD360	
..	530.2568.078 S AC	1	X AVV.EL./ELECTRIC STARTING	
230	5000.6372.091 E	1	X AVVIAM.MANOV.CON/SENZA IMP.LUCE HAND-CRANK START.WITH/WITHOUT LIGHING SYSTEM FINO A.../UP TO ENG.S.NO...	
..	540.6370.128 N I	1	X AVVIAM.MANOV.CON/SENZA IMP.LUCE HAND-CRANK START.WITH/WITHOUT LIGHING SYSTEM DA.../FROM ENG.S.NO...	
231	500.4701.019 N B 50	1	0,40 X AVV.MAN.CON/SENZA IMP.LUCE	
..	500.4701.020 N B 50	1	0,30 HAND-C.STARTING WITH/WITHOUT	
..	500.4701.021 N B 50	1	0,20 LIGHTING SYSTEM	
..	500.4701.022 S 10	1	0,10 FINO A.../UP TO ENG.S.NO...	
232	500.2568.098 D AC	1	X AVVIAM.MANOVELLA/HAND-C.STARTING	
233	9.1901.032 FVIC 10	1		
234	9.1901.030 FVIC 10	1		
235	5000.9374.036 S	1	DA POMPA AL.A FILTRO COMB. (MM 360) FROM FEED PUMP TO FILTER ON ENGINE	
..	5000.9375.011 N	1	DA POMPA AL.A FILTRO COMB. (MM 1035) FROM FEED PUMP TO REMOTE FUEL FILTER	
236	9.4670.012 FV C 10	1		
237	9.4670.012 FV C 10	1		

FIG. NO.	MATRICOLA P.NO	Q. TA Q.TY	NOTE	REMARKS	GR. 6 - 1.5302.143	PAG. 9
238	5000.9375.240 D A	1		DA FILTRO COMB.A POMPA AL. (MM 368) FROM FUEL FILTER TO FEED PUMP		
239+	70.9180.011 FV C	10	2			
240+	9.3240.009 F C	10	2			
241	9.4670.012 FV C	10	1			
242	9.1901.030 FVIC	10	1			
243+	9.9790.023 FV C	10	1	M 5 X 0,8 X 7		
244+	90.6000.031 FV C	10	1			
245+	9.3203.047 S	10	2			
246					
247+			VEDI/SEE FIG.NO. 254+...		
248+	500.2371.045 S	10	1			
249+	500.5800.096 FV C	10	1			
250+	500.5680.043 S	10	1			
251+			VEDI/SEE FIG.NO. 254+...		
252+	9.8420.002 S	10	1			
253	9.9730.010 S	10	2	M 6 X 1 X 16		
254+183+184+247+250+				SUPPORTO LEVA REGOLATORE		
251+252+255+254+257-				CONTROL LEVER SUPPORT		
=500.8785.061 F IC		1				
255+	9.1200.087 FV C	10	1			
256+			VEDI/SEE FIG.NO. 254+...		
257+			VEDI/SEE FIG.NO. 254+...		
258	500.5655.027 FV C	10	1	STD.		
,,	500.5655.038 S	10	1	X GR.ELETTR./GENERATOR SETS		
252	500.2000.054 S	10	1			
260	9.7625.005 FVBC	10	1			
,,	9.7625.109 SVAC	10	1			
261	9.1585.028 S	10	1	X GR.ELETTR./GENERATOR SETS		
262+263+264=						
=500.8280.022 FV C		10	1			
263+	9.7625.003 S	10	1			
264+	9.1165.003 S	10	1			
265+266+267=						
=500.5200.291 S IC		10	1			
266+	9.7565.004 FV C	10	1			
267+	9.1760.005 F C	10	1	M 6 X 1 X 16		
268+	500.2135.072 FV C	10	1			
269+	500.6410.036 FV C	10	2			
270+	500.5755.045 FV C	10	2			
271+	500.6850.074 FV C	10	2	LATO DISTRIBUZIONE/GEAR SIDE		
272+	500.4730.017 F C	10	1	0,70 X 6LD260-260/C		
,,	500.4730.026 F C	10	1	0,50		
,,	500.4730.027 F C	10	1	0,80		
,,	500.4730.029 F C	10	1	0,60		
,,	520.4730.030 F C	10	1	0,50 X 6LD325-325/C		
,,	520.4730.031 F C	10	1	0,60		
,,	520.4730.032 F C	10	1	0,70		
,,	520.4730.033 F C	10	1	0,80		
,,	530.4730.039 FV C	10	1	0,50 X 6LD360-360/C		
,,	530.4730.040 F C	10	1	0,60		
,,	530.4730.041 F C	10	1	0,70		
,,	530.4730.042 F C	10	1	0,80		
273	500.4740.018 FV C	10	1			
274	500.4740.025 FV C	10	1			
275	500.9520.046 FVIC	10	1			
276	500.1410.016 FV C	10	2			
277	9.1240.004 F C	10	1			

φ30

FIG. NO.	MATRICOLO P.NO	Q.TA Q.TY	NOTE	REMARKS	GR. 4 - 1.5302.143	PAG. 10
278	9.2280.050 S	10 1				
279	500.7550.006 S	C 10 1				
280	503.1011.049 S	AC 1	X	6LD260/C-325/C-360/C EXT.4SAE(CYL) FINO A... & DA... UP TO ENG.S.NO... & FROM ENG.S.NO...		
..	543.1011.078 E	1	X	6LD260/C-325/C-360/C EXT.4SAE(CYL) DA... & FINO A... FROM... & UP TO ENG.S.NO...		
..	5030.1011.067 N	A 1	X	6LD260/C-325/C-360/C CLOCKW.ROT.		
281+	9.7626.048 SV	C 10 2				
282+	9.1770.083 S	10 2	M	B X 1,25 X 50		
283+281+282=	=500.1526.030 F	AC 1		BIELLA COMPLETA CONNECTING ROD		
284	360.1640.066 FVIC	1	STD.	X BIELLA/CONNECTING ROD		
..	360.1640.067 FVICR	1	-0,25			
..	360.1640.068 FVICR	1	-0,50			
285	90.6607.001 S	C 1	X	AVVIAM.EL./EL.STARTING 12 V 4 A		
286	9.9730.010 S	10 1	M	6 X 1 X 16		
287+	500.4700.094 S	50 1	0,30	STD & X AVVIAMENTO MANOVELLA		
..	500.4701.003 S	50 1	0,20	.. HAND-C.STARTING		
..	500.4701.015 S	50 1	0,10	.. DA.../FROM ENG.S.NO...		
..	500.4701.017 S	50 1	0,40	..		
288	500.8675.082 FV	C 1	STD. & AVV.EL./EL.START.12 V 4 A & ANCHE AVV.MAN.CON/SENZA IMP.LUCE/ HAND-C.ST.WITH/WITHOUT LIGHT.SYSTEM DA.../FROM ENG.S.NO...			
..	5300.8676.039 S	AC 1	X	AVVIAM.EL./EL.STARTING 12 V 12 A		
289	9.1210.092 FV	C 10 1	X	6LD260-325-360		
..	9.1213.001 FV	C 10 1	X	6LD260/C-325/C-360/C		
290	500.5065.101 FVIC	1				
291	9.9790.037 FV	C 10 2	M	6 X 1 X 8		
292	9.7565.007 FV	C 10 2				
293	5000.6480.036 S	B 1	X	PER AVV.MANOV.CON/SENZA IMP.LUCE HAND-C.ST.WITH/WITHOUT LIGHT.SYST. FINO A.../UP TO ENG.S.NO...		
..	540.6480.041 N	1	X	PER AVV.MANOV.CON/SENZA IMP.LUCE HAND-C.ST.WITH/WITHOUT LIGHT.SYST. DA.../FROM ENG.S.NO...		
294	5000.6275.093 N	10 1	X	AVV.ELETTROGENI/EL.START.		
296	9.4670.016 FV	C 10 1				
297	9.4670.016 FV	C 10 1				
301	500.6585.032 SV	C 1		POMPA ALIMENTAZIONE/FEED PUMP		
303	500.7200.048 SV	C 1				
304+	255.6700.012 FV	C 1				
305+	560.4580.047 FVIC	50 1	1,00			
..	560.4580.049 SV	10 1	0,50			
..	560.4580.050 SV	10 1	0,80			
306+	9.6780.007 S	10 2	M	B X 20 (32)		
308	9.3240.018 F	C 10 1				
309	9.7565.007 FV	C 10 1				
310+311+312=	=500.4936.064 S	I 1	X	GRUPPI ELETTROGENI GENERATOR SETS		
310	500.4990.045 E	B 1				
311+	9.8400.073 N	10 2				
312+	500.5496.060 S	BC 1				
313	9.1755.001 F	BC 10 4	M	5 X 0,8 X 8		
314	9.7555.003 FVBC	10 4				
315	500.4896.002 S	1				
316	9.9810.002 D	10 2				
317	9.8430.023 FV	C 10 1				

FIG. NO.	MATRICOLA P.NO	Q.TA Q.TY	NOTE REMARKS	GR. 6 = 1.5302.143 PAG. 11
318	9.8245.009 FV C 10	6		
319	500.6141.046 SV C	1	STD.	
..	500.6141.059 D	1	GR.ELETTR./GENERATOR SETS	
320+	9.2200.013 FV C 10	1	STD.	
..	9.2280.061 S	10	GR.ELETTR./GENERATOR SETS	
321	9.1585.029 S	1	
322	9.1240.077 F C 10	1	
323+248+249+320+324+ 563+564=			POMPA OLIO COMPLETA LUB.OIL PUMP ASS.Y	
	=500.6605.044 FVIC	1	STD. X 6LD260-325-360	
	=5000.6605.046 S IC	1	X GR.EL./GEN.SETS 6LD260-325-360	
	=503.6605.045 S I,	1	STD. X 6LD260/C-325/C-360/C	
324+	500.3855.007 S	1	X 6LD260-325-360	
..	503.3855.009 D	1	X 6LD260/C-325/C-360/C	
325+	500.9652.018 FV CR10	1	ASP./INLET SOLO/ONLY X 6LD260-260/C	
..	520.9652.025 FVBCR10	1	VALVOLA ASPIRAZIONE/INLET VALVE	
..	520.9652.040 FVACR10	1	
326+	500.3430.070 SVAC 10	2	
327+	500.9685.028 FV CR10	1	SCAR./EXH. SOLO/ONLY X 6LD260-260/C	
..	520.9685.039 FVBCR10	1	VALVOLA SCARICO/EXHAUST VALVE	
..	520.9685.051 FVACR10	1	
328+245+246+271+304+ 305+306+329+377+415=			BASAMENTO COMPLETO CRANKCASE	
	=500.1510.103 S IC	1	X 6LD260-260/C STD.	
	=520.1510.104 S IC	1	X 6LD325-325/C ..	
	=530.1510.105 FVIC	1	X 6LD360-360/C ..	
329+	500.6850.092 FVIC	2	LATO VOLANO/FLYWHELL SIDE	
330	9.2280.047 FV C 10	1		
331	500.1011.052 S AC	1	STD. X 6LD260-325-360	
..			FINO A... & DA... UP TO ENG.S.NO... & FROM ENG.S.NO...	
..	500.1011.084 S AC	1	STD. X 6LD260-325-360	
..			DA... & FINO A ... FROM... & UP TO ENG.S.NO...	
332	503.1011.053 S IC	1	STD. X 6LD260/C-325/C-360/C	
333	9.9765.076 S	10	X 6LD260-325-360	
334	9.1585.004 S	1	X 6LD260/C-325/C-360/C	
335+	9.2280.047 FV C 10	1	X ALBERO/SHAFT STD. CONIC. EXT. A 3 - EXT. 4 (2 PEZZI/PIECES)	
..	9.2280.052 S	10	X ALBERO/SHAFT EXT. A 3	
336+	500.9000.069 S	10	2	
337+335+336+338=			X 6LD260-325-360	
	=500.1050.115 F IC	1	STD.CONIC. (MM 300)	
337+336+338=			X 6LD260-325-360	
	=500.1050.122 D IC	1	EXT. A 4 (MM 348,3)	
	=500.1050.126 S IC	1	EXT. 4 (MM 363,4)	
338+	9.2280.048 FV C 10	1		
339	500.1257.008 FV C 10	1		
340	500.1611.012 FVIC	1	STD. LATO VOLANO/FLYWHELL SIDE	
..	500.1611.013 FVICR	1	-0,50 ..	
..	500.1611.014 FVICR	1	-1,00 ..	
341			
342	9.7565.097 FV C 10	4		
343	9.1770.002 F C 10	4	STD. M 8 X 1,25 X 16	
..	9.1770.005 F C 10	4	X AVV.EL./EL.STARTING M 8X1,25X22-	
344	9.9790.037 FV C 10	6	M 6 X 1 X 8	
345	9.1760.032 S	10	M 6 X 1 X 14	
346	9.7625.092 SV C 10	2		

FIG. NO.	MATRICOLA P.NO	DATA Q.TY	NOTE REMARKS	GR. 6	1.5302.143	PAG. 12
347	9.7555.004	S C 10 2				
348	9.3240.008	F C 10 2				
349+	500.4500.091	FV C 10 1				
350	5000.1595.035	D				
365	9.3240.066	S 10 1				
366	9.7565.011	FV C 10 1				
367	500.4935.044	S	1	SOLO INGR./GEAR ONLY		
..	500.4936.020	S I	1	CON COLLARE/WITH GOV.BALLS COLLAR		
368	500.2085.072	S	1			
369	9.9730.016	FV C 10 4	M 6 X 1 X 35			
370	9.7565.004	FV C 10 4				
371	500.1160.011	SV C 10 1				
372	9.9732.063	D A 10 9	M 8 X 1,25 X 35			
373	9.9730.028	FV C 10 1	M 8 X 1,25 X 30			
374	530.1611.018	FVIC	1	STD. LATO DISTRIBUZ./GEAR SIDE		
..	530.1611.019	FVICR	1	-0,50		
..	530.1611.020	FVICR	1	-1,00		
375	9.1240.077	F C 10 1	X GR.ELETR./GENERATOR SETS			
376	9.1585.029	S	1			
377+	276.8460.055	S 10 2				
378	9.1770.039	S 10 1	M 8 X 1,25 X 28			
379	9.7625.060	FV C 10 1				
380	500.1257.008	FV C 10 1				
381+	9.2280.050	S 10 1	X ALBERO/SHAFT EXT. 4			
..	9.2280.081	N 10 1	X ALBERO/SHAFT EXT. 2 SAE / 3 SAE			
382+335+336+338=			X MOTOPOMPE/PUMPING UNITS			
=500.1050.118	D IC	1	EXT. A 3 (MM 391)			
=500.1050.119	D IC	1	EXT. A 3 (MM 343)			
382+336+338+381=			X 6LD260-325-360			
=500.1050.117	S IC	1	EXT.4 SAE J 609 A (MM 365,5)			
=500.1050.128	N IC	1	EXT.3 SAE J 609 A (MM 339)			
382+336+338=			X 6LD260-325-360			
=500.1050.120	D IC	1	EXT.8 A (MM 352)			
=500.1050.121	D IC	1	EXT.9 SAE J 609 A (MM 365,5)			
			FILETTO/THREAD MM 16			
=500.1050.123	D IC	1	EXT.7 SAE J 609 A (MM 338,8)			
=500.1050.127	S IC	1	EXT.9 SAE J 609 A (MM 366,2)			
			FILETTO/THREAD MM 26,2			
=500.1050.129	N IC	1	EXT.9 SAE J 609 A (MM 339)			
			M 8 - 3/4"			
383	9.1760.001	F C 10 2	M 6 X 1 X 10			
384	9.7555.004	S C 10 2				
385	9.1585.058	S	2			
387	9.8430.019	S 10 1				
388	5000.8965.031	S	1			
389	9.1202.016	FV C 10 1				
390	270.5801.027	S A	1			
391	500.7760.045	S A	1			
392	9.1240.041	S 10 1				
393	270.5455.006	S C	1	X 6LD260-325-360		
..	715.5455.014	S	1	X 6LD260/C-325/C-360/C		
394	9.7565.007	FV C 10 2				
395	5000.8506.005	N	1			
396	5000.8506.007	N	1			
400	9.6780.021	FV C 10 2	M 8 X 35 (47)			
401	9040.2615.021	S C	1			
402	9040.6612.063	S A	1	SPIA OLIO/OIL WARNING		
403	9040.6612.064	S A	1	SPIA BATTERIA/BATTERY WARNING		
404	9040.5175.119	S A 10 2				
412+	9.1213.056	FVIC 10 1				

413+	9.3030.028	FV C 10	1	STD.
,,	9.3030.046	S	1	X GIOCHI ASS.RIDOTTI/COVER CASE WITH REDUCED RADIAL CLEARANCE
414+	500.4601.002	S	10	0,30
,,	500.4601.020	S	10	0,20
415+	9.6780.076	FV C 10	5	M 8 X 18 (34)
416	500.9060.011	SV C	1	X AVVIAM.EL./EL.STARTING
417	9.4670.001	FV C 10	1	
418	9.1760.001	F C 10	1	M 6 X 1 X 10
419+336+338=				X 6LD260/C-325/C-360/C
	=503.1050.116	S IC	1	STD. (MM 26+)
	=5030.1050.146	N A	1	ROT.DESTRA/CLOCKWISE ROTATION
420+441+597=				PRESSOSTATO COMPLETO
	=9040.6745.031	FVAC	1	PRESSURE OIL SWITCH
420	2760.5040.098	N	1	INTERRUTTORE A PRESSIONE D'OLIO SWITCH BY PRESSURE OIL
421	276.4670.014	FV C 10	1	X PRESSOSTATO/PRESSURE SWITCH
,,	9.4670.017	FV C 10	1	X INTERRUTTORE/SWITCH BY PRESS.OIL
422	292.5840.065	FV C	1	12 V
,,	5000.5840.075	N	1	24 V
423	5000.2691.034	S B	1	FINO A .../UP TO ENG.S.NO....
,,	540.2690.145	N	1	DA... /FROM ENG.S.NO...
424	283.4970.012	D A	1	
425	283.7885.018	E	1	
,,	283.7885.026	D I	1	
426	9.7565.007	FV C 10	3	
427	9.1770.005	F C 10	3	M 8 X 1,25 X 22
428	292.8335.073	S	10	1
429	530.3790.040	S AC	1	
430	9.3240.018	F C 10	1	
431	9.3240.008	F C 10	2	
432	9.7565.004	FV C 10	2	
433	5300.8546.028	S AC	1	X MOT.AVV./START.ENGINE BOSCH
434	9.7565.007	FV C 10	1	
435	9.7625.012	FV C 10	2	
436	9.1770.004	F C 10	2	M 8 X 1,25 X 20
437	9.7565.004	FV C 10	2	
438	9.1760.003	F C 10	2	M 6 X 1 X 12
440	5000.2118.047	N	10	4
441+	5000.9180.056	FVA	10	4
442	2830.5040.004	FV C	1	
,,	2760.5041.020	FV C	1	BOSCH
451	5000.8760.044	N	1	
452	9.7625.012	FV C 10	2	
453	9.3240.018	F C 10	2	
454	9.7565.007	FV C 10	2	
455	9.1770.006	F C 10	2	M 8 X 1,25 X 25
456+503=				FILTRO COMB.ESTERNO
	=2830.3730.036	F C	1	EXTERNAL FUEL FILTER
457	9.4670.016	FV C 10	2	
458+412+413=				X 6LD260-325-360
	=500.6646.075	S C	1	STD.
	=5000.6646.099	N	1	X GIOCHI ASS.RID./RED.RADIAL CLEAR.
459+507+508=				PORTINA DI FONDO/OIL PAN
	=500.6647.045	S IC	1	STD.
	=5000.6647.046	S IC	1	PROFONDA/DEEP

FIG. NO.	MATRICOLO P.ND	Q.TA Q.TY	NOTE	GR. 6	1.5302.143	PAG. 14
460+	500.4601.003	FV C 50	1			
461+	500.4776.016	D	10	1		
462	500.1745.001	F C	1	1	STD.	
463	5000.1745.002	S C	1	1	X PORTINA PROFONDA/DEEP OIL PAN	
464	500.2175.019	FV C	1	1	CARTUCCIA OLIO/OIL FILTER ELEMENT	
465	500.9680.007	FV C	1	1		
466	500.9070.012	S C	1	1		
467	9.4670.021	S	10	1		
468	500.5755.049	FV C	10	1		
469	500.5725.032	FV C	10	1		
470	9.1200.016	FV C	10	1		
471	500.7060.000	FV C	1	1		
472	500.6427.035	F C	2	1	STD.	
473	5000.7330.075	D	1	1	X PRESSOSTATO/PRESSURE SWITCH	
474	5000.7330.138	N	1	1	X INTERRUOTTORE/SWITCH BY PRESS.OIL	
475	9.4670.001	FV C	10	2		
476	9.1901.058	FVIC	10	1		
477	5000.6428.045	D	1	1	LATO ASPIRAZIONE/INLET SIDE	
478	5000.6428.046	D	1	1	LATO SCARICO/EXHAUST SIDE	
479	9.6780.008	FV C	10	8	M 8 X 20 (32)	
480	9.3240.066	S	10	2		
481+	9.7565.011	FV C	10	2		
482+481+483=	9.6800.020	FV C	10	2	M 10 X 35 (50)	
483+	276.2145.014	F AC	1	1		
484	9.1210.030	FV C	10	1	X 6LD260/C-325/C-360/C	
485	482+481+483=	503.6646.076	S C	1	X 6LD260/C-325/C-360/C	
503+	9.3000.040	S	1	1		
504	9.1770.009	S	10	1	M 8 X 1,25 X 35	
505	5300.8546.031	S A	1	1		
506	2830.2175.045	FVAC	1	1	CARTUCCIA COMB./FUEL FILTER ELEMENT	
507+	5000.9375.020	N	1	1	DA FILTRO COMB.A POMPA IN.(MM 1036)	
508+	5000.9375.079	N	1	1	FROM REMOTE F.FILTER TO INJECT.PUMP	
509	9.4670.016	FV C	10	2	DA FILTRO COMB.SUL MOT.A POMPA INJ.	
510	9.1901.032	FVIC	10	2	FROM FILTER ON ENGINE TO INJECT.PUMP	
511	9.4670.013	FV C	10	1		
512	9.8965.032	SVA	10	1		
513	9.6780.005	FV C	10	8	M 8 X 18 (30)	
514	9.7565.007	FV C	10	8		
515	9.3240.016	F C	10	8		
516	5000.8506.009	N	1	1		
517	5000.8506.008	N	1	1		
518	276.6740.088	FVAC	10	1	X REGOLATORE/REGULATOR SAPRISA	
519	276.6740.089	FVAC	10	1	X REGOLATORE/REGULATOR DUCATI	
520	276.6740.090	FVAC	10	1	X REG.DUCATI CON SPIA CAR.BATTERIA	
521	9.3030.028	FV C	10	1	WITH CHARG.BATT.LIGHT	
522	9.3030.046	S	1	1	STD.	
523	9.3030.046	S	1	1	X GIOCHI ASS.RIDOTTI/COVER CASE	
524	516+412+515+562=	5000.6646.097	S	1	WITH REDUCED RADIAL CLEARANCE	
525	5000.6647.001	N	1	1	X FLANG.A & B SAE J609 A	
526	500.4500.091	FV C	10	2	NORMAL	
527	9.7565.007	FV C	10	2	CON GIOCHI ASSIALI RIDOTTI	
528	9.3240.019	F C	10	2	WITH REDUCED RADIAL CLEARANCE	
529	9.7565.004	FV C	10	3		
530	9.9790.037	FV C	10	3	M 6 X 1 X 8	
531	9.7625.010	FV C	10	10		


FIG. NO.	MATRICOLA P.NO	Q.TA Q.TY	NOTE REMARKS
535	9.1770.004 F C	10 10	M 8 X 1,25 X 20
536	5000.6428.065 F C	2	X PORTINA PROFONDA/DEEP OIL PAN
537	5000.6428.036 S	1	LATO SCARICO/EXHAUST SIDE
..	5000.6428.037 S	1	LATO ASPIRAZIONE/INLET SIDE
538	9.6780.010 FV C	10 2	M 8 X 22 (34)
539	9.9730.023 N	2	M 8 X 1,25 X 10
540	2760.7362.027 FVIC	1	X AVVIAM.EL./EL.STARTING 12 V 12 A SENZA RICARICA BATTERIA WITHOUT CHARGING BATTERY LIGHT
..	9040.7362.066 FVIC	1	X AVVIAM.EL./EL.STARTING 12V 12 A CON RICARICA BATTERIA WITH CHARGING BATTERY LIGHT
541	9.1770.004 F C	10 2	M 8 X 1,25 X 20
542	9.7565.007 FV C	10 2	
543	9.3240.018 F C	10 2	
544	530.3902.034 S B	1	X AVVIAM.EL./EL.STARTING
545	500.5462.089 FVIC	1	STD.(MOT.CON AVV.FUNE/ROPE STARTING)
..	5000.5462.094 D	1	PRED.PER PROTEZ.(MOT.CON AVV.FUNE) SUITABLE FOR M.GUARD (ROPE STARTING)
546	5000.6927.048 D	1	
547	530.3703.032 D I	1	FILTRO A SECCO/DRY AIRCLEANER STD.
..	5000.3703.098 N	1	SPECIAL K 9994.290
548	530.2175.050 FV C	1	
552	9.3203.047 S	10 5	
561	9.9732.047 N	10 1	M 12 X 1,5 X 20
562+	9.9730.122 N	10 2	X FLANG. SAE M 8 X 1,25 X 35
563+	9.9730.008 S	10 1	M 6 X 1 X 10
564+	9.7565.004 FV C	10 1	
565	9.1760.001 F C	10 4	M 6 X 1 X 10
566	9.9790.037 FV C	10 1	M 6 X 1 X 8
567	260.5390.006 S	1	
568	9.7565.007 FV C	10 1	
569	9.9731.030 S	10 2	M 8 X 1,25 X 12
570	500.4500.091 FV C	10 1	
571+	7.7626.054 FVAC	10 1	
572	9.3240.075 N	10 2	
573+3= =5000.8103.119 N		1	SERBATOIO CON TAPPO RIF.LATERALE F.TANK WITH RIGHT SIDE FILLING CAP (SPECIAL K 9996.799)
574	5000.6010.060 N	1	
575	530.3526.097 N	4	
576	9.7625.012 FV C	10 4	
577	9.1770.009 S	10 4	M 8 X 1,25 X 35
578	5000.1213.143 N	10 1	
579	5000.6495.029 N	1	
580	9.1202.013 FV C	10 1	
581	5000.5625.006 N	10 1	
582	5000.3902.074 N	1	X FILT.OLIO EST./EXTERN.OIL FILTER
583	276.4670.014 FV C	10 1	
584	9.8965.003 FV C	10 1	
585	9.4670.003 FV C	10 1	
586	9.9732.074 D	10 2	M 8 X 1,25 X 20
587	9.4670.039 S	10 1	
588	9.8965.021 FV C	10 1	
589	904.2175.040 FV C	1	CARTUCCIA OLIO/EXTERNAL OIL F.ELEM.
590	9.4670.017 FV C	10 4	
591	5600.5953.048 N	4	
592	8320.9485.029 S	2	TUBO OLIO/OIL TUBE (MM 544)
..	5000.9485.081 N	2	(MM 270)
593	276.7330.066 N	1	
594	5000.9220.028 N	1	
595	5000.3902.129 N	1	X FILT.OLIO STACC./REMOTE OIL FILT.
596	9.7625.109 SVAC	10 1	

FIG. NO.	MATRICOLA P.NO	Q.TA	Q.TY	NOTE	REMARKS
597+	3600.6491.013		FVAC	1	
598	273.7300.057		SV	1	
599	9.3630.008	F	C 10	1	
607	9040.2900.067	S		1	
608	9040.2900.070	S		1	
609	2760.2750.111	S		1	
610	2760.5450.009	S	C	1	MANOMETRO OLIO/PRESSURE GAUGE
611	5300.8490.081	D		1	
612	5300.8490.082	D		1	
613	5000.8506.006	D		1	
614	530.5460.188	N	A	1	X MOT.CON AVV.EL./EL.START.ENGINES
,,	5000.5460.204	N	A	1	PREDISP.PER PROTEZ.(MOT.CON AVV.EL.) SUITABLE FOR M.GUARD (ELECTR.START.)
615	5000.6927.109	N	A	1	
619	9.7565.005	N	10	4	X SENZA PULEGGIA/WITHOUT ST.PULLEY
622	270.6685.045	S		1	
623	9.1780.003	F	C 10	2	
624	9.7565.011	FV	C 10	2	
625	2830.6491.005	FV	C	1	
626	9.7625.061	S	C 10	2	
627	9.7270.024	FV	C 10	1	
628	360.2900.064	D		1	
629+	500.5496.113	FVAC		1	DIAM.=124
43+71+79+147+272+					SERIE GUARNIZIONI
287+305+349+414+460+					GASKET SET
461+517=					
	=500.8180.039	FV	CR	1	X 6LD260-260/C
	=520.8180.047	FV	CR	1	X 6LD325-325/C
	=530.8180.055	FV	CR	1	X 6LD360-360/C

ASRI/GRM

15.05.1985

DESCRIZIONI NON IMPEGNATIVE/SUBJECT TO MODIFICATIONS



MATERIALE DI RETTIFICA
GRINDING WORKSHOP PARTS LIST
MATERIEL POUR RECTIFIEURS

GR. 6 - 1.5302.143
PAG. 17

MOTORI-ENGINES-MOTEURS GR. 6

FIG. NO.	MATRICOLA P.NO	Q.TA Q.TY	NOTE REMARKS
80+	500.4845.071 FVICR10	1	STD. GUIDA V.ASP./INLET V.GUIDE
,,	500.4845.075 D I R10	1	+0,50
82+	500.4845.030 FV CR10	1	STD. GUIDA V.SCAR./EXHAUST V.GUIDE
,,	500.4845.052 D R10	1	+0.50
141+	500.8000.039 S CR10	1	ASP./INLET SOLD/ONLY X 6LD260-260/C
,,	520.8000.053 FVBCR10	1	SEDE V.ASPIRAZ./INLET V.SEAT
,,	283.8000.036 FVACR10	1	,,
142+	500.8000.038 S CR10	1	SC./EXHAUST SOLD/ONLY X 6LD260-260/C
,,	520.8000.054 FVBCR10	1	SEDE V.SCARICO/EXHAUST V.SEAT
,,	283.8000.037 FVACR10	1	,,
151+	500.8210.045 FV CR10	1	+0,50 X 6LD260-260/C
,,	500.8210.046 S CR10	1	+1,00
,,	520.8210.081 FV CR10	1	+0,50 X 6LD325-325/C
,,	520.8210.082 F CR10	1	+1,00
,,	530.8210.087 FV CR10	1	+0,50 X 6LD360-360/C
,,	530.8210.088 F CR10	1	+1,00
221+151+222+223=			
	=500.6501.091 FV CR	1	+0,50 X 6LD260-260/C
	=500.6501.092 S CR	1	+1,00
	=5030.6500.196 D CR	1	+0,50 X 6LD260/C CLOCKWISE ROTATION
	=5030.6500.197 D CR	1	+1,00
	=520.6502.029 FV CR	1	+0,50 X 6LD325-325/C
	=520.6502.030 F CR	1	+1,00
	=530.6502.044 FV CR	1	+0,50 X 6LD360-360/C
	=530.6502.065 F CR	1	+1,00
284	360.1640.067 FVICR	1	-0,25 X BIELLA/CONNECTING ROD
,,	360.1640.068 FVICR	1	-0,50
325+	500.9652.018 FV CR10	1	VALV.ASP./INLET V. X 6LD260-260/C
,,	520.9652.025 FVBCR10	1	VALVOLA ASPIRAZIONE/INLET VALVE
,,	520.9652.040 FVACR10	1	,,
327+	500.9685.028 FV CR10	1	VALV.SCAR./EXHAUST V. X 6LD260-260/C
,,	520.9685.039 FVBCR10	1	VALVOLA SCARICO/EXHAUST VALVE
,,	520.9685.051 FVACR10	1	,,
340	500.1611.013 FVICR	1	-0,50 LATO VOLANO/FLYWHEEL SIDE
,,	500.1611.014 FVICR	1	-1,00
374	530.1611.019 FVICR	1	-0,50 LATO DISTRIBUZ./GEAR SIDE
,,	530.1611.020 FVICR	1	-1,00
43+71+79+147+272+			SERIE GUARNIZIONI
287+305+349+414+460+			GASKET SET
461+517=			
	=500.8180.039 FV CR	1	X 6LD260-260/C
	=520.8180.047 FV CR	1	X 6LD325-325/C
	=530.8180.055 FV CR	1	X 6LD360-360/C